

INTATRADE
MATERIAL SAFETY DATA SHEET
according to 1907/2006/EC, Article 31

Printed: 21.03.2022

1. IDENTIFICATION OF SUBSTANCE AND OF THE COMPANY

Product name: **Tetraethylgermanium**
Product code: EO00543
Company: INTATRADE Chemicals GmbH
Am Winkel 5
06774 Muldestausee, Germany
Phone: +49 34955/406944
Fax: +49 34955/406946
e-mail: intatrade@intatrade.de

2. HAZARDS IDENTIFICATION

Appearance/Odor: Clear odorless liquid.
Classification: FLAMMABLE LIQUIDS - Category 3, H226
ACUTE TOXICITY, ORAL - Category 4, H302
SKIN CORROSION/IRRITATION - Category 2, H315
SERIOUS EYE DAMAGE/IRRITATION - Category 2A, H319
SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY
TRACT IRRITATION - Category 3, H335

GHS label elements



Hazard pictograms
Signal word
Hazard Statements:

Warning
H226: Flammable liquid and vapor.
H302: Harmful if swallowed.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.

Precautionary Statements
Prevention:

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P233: Keep container tightly closed.
P240: Ground/Bond container and receiving equipment.
P241: Use explosion-proof electrical/ ventilating/ lighting equipment.
P242: Use only non-sparking equipment.
P243: Take precautionary measures against static discharge.
P261: Avoid breathing dust/fumes/gas/mist/vapors/spray.
P264: Wash exposed skin thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P271: Use only outdoors or in a well ventilated area.
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response: P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

| | |
|--|--|
| | P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| | P312: Call a POISON CENTER or doctor/physician if you feel unwell. |
| | P330: Rinse mouth. |
| | P332 + P313: If skin irritation occurs: Get medical advice/attention. |
| | P337 + P313: If eye irritation persists: Get medical advice/attention. |
| | P362: Take off contaminated clothing and wash before reuse. |
| | P370 + P378: In case of fire: Use foam, carbon dioxide, dry chemical. |
| Storage: | P403 + P233 + P235: Store in a well-ventilated place. Keep container tightly closed. Keep cool. |
| | P405: Store locked up. |
| Disposal: | P501: Dispose of contents/ container to an approved wasted disposal plant. |
| General: | None. |
| OSHA/HCS Status: | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
| Hazards Not Otherwise Classified (HNOC): | None identified. |
| | - |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| | |
|-------------------|-----------------------------------|
| Formula: | C ₈ H ₂₀ Ge |
| Molecular Weight: | 188. 48 |
| CAS-No.: | 597-63-7 |
| Tetraethylgermane | ≥ 98% |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

| | |
|-----------------|--|
| General Advice: | Move out of dangerous area. Call a POISON CENTER or doctor/physician immediately if symptoms develop or if you feel unwell. Show this safety data sheet to the doctor in attendance. |
| Eye Contact: | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue rinsing. Seek medical attention if eye irritation develops and persists. |
| Inhalation: | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a physician or POISON CONTROL CENTER if symptoms develop or if you feel unwell. |
| Skin Contact: | Take off contaminated clothing and shoes immediately. Wash off contaminated skin with soap and plenty of water. Seek medical attention if irritation develops and persists, if symptoms develop or if you feel unwell. |
| Ingestion: | Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a physician or POISON CONTROL CENTER if symptoms develop or if you feel unwell. |

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

| | |
|--|---|
| Eye Contact: | Symptoms may include stinging, tearing, redness, swelling and blurred vision. |
| Inhalation: | Product may be irritating to respiratory system. Symptoms may include coughing, sneezing with phlegm production, sore throat, nausea, headache, vomiting. |
| Skin Contact: | Symptoms may include an itching or burning sensation, reddening, swelling and blistering with tissue necrosis. |
| Ingestion: | Product may be expected to be irritating to mucous membranes and may be harmful if ingested. Symptoms may include cramping, localized pain, headache, nausea and vomiting. |
| Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary | |
| Notes to Physician: | Treat symptomatically. |
| Specific Treatments: | No specific treatment. |
| Protection of First Responders: | No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See Toxicological Information (Section 11)

5. FIRE FIGHTING MEASURES

| | |
|------------------------------------|--|
| General Hazards: | Flammable/combustible material. |
| Suitable Extinguishing Media: | THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY CHEMICAL POWDER PRESSURIZED WITH NITROGEN. For small fires, vermiculite, sand, dry chemical or carbon dioxide (CO ₂) may also be used. For large fires, large quantities of water (flooding) may be applied as a spray or a mist to control the fire and cool affected containers. |
| Unsuitable Extinguishing Media: | Water with full jet. |
| Unusual Fire and Explosion Hazard: | None identified. |
| Product of Combustion: | Carbon oxides (CO _x) and germanium oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or open flame. |
| Protection of Firefighters: | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid breathing dusts, aerosols, vapors and gases. Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers. Do not cut, grind, drill or weld on or near product containers (even empty) of this product because an explosion may result. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode. |

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

| | |
|------------------------------|---|
| For Non-Emergency Personnel: | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of sprays, mists, vapors and gases. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment. |
| For Emergency Responders: | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel". |

| | |
|----------------------------|---|
| Environmental Precautions: | Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods for Containment | |
| General: | Eliminate all local and distant ignition sources. Move containers from spill area if safe to do so. Use spark-proof tools and explosion-proof equipment. |
| Small Spill: | Contain and collect spillage with non-combustible, dry absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. |
| Large Spill: | Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, dry absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

7. HANDLING AND STORAGE

| | |
|-------------------------------|---|
| Precautions: | Keep away from all sources of ignition – NO SMOKING. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Avoid the formation and inhalation of sprays, mists, vapors and gases. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation. |
| Protective Measures: | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| General Occupational Hygiene: | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Safe Storage Conditions: | Store refrigerated at 2 – 8 °C. Keep away from all sources of ignition – NO SMOKING. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| | |
|----------------------------------|---|
| Introductory Remarks: | These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13. |
| Occupational Exposure Limits: | Contains no products with occupational exposure limit values. |
| Engineering Controls: | Properly operating chemical fume hood designed for hazardous/flammable chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station. |
| Environmental Exposure Controls: | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or |

engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale gases/fumes/vapors. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties.

It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, wear Neoprene or nitrile rubber gloves. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other Skin Protection:

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|----------------------------|---------------------------------|
| Physical State: | Liquid |
| Color: | Colorless |
| Odor: | Odorless |
| Odor Threshold: | No data available. |
| pH: | No data available. |
| Melting Point: | -90 °C (-130 °F) |
| Boiling Point: | 165 °C (329 °F) |
| Flash Point: | 29 °C (84 °F) |
| Auto-ignition temperature: | No data available. |
| Specific Gravity: | 1.1989 g/cm ³ @ 20°C |
| Vapor Pressure: | 16.4 mmHg @ 25°C |
| Vapor Density: | No data available. |
| Water Solubility: | Not miscible. |
| Evaporation Rate: | No data available. |
| Viscosity: | No data available. |

E000543

www.intatrade.de

Seite 5 von 8

VOC Content:

No data available.

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

10. STABILITY AND REACTIVITY

Reactivity: No data available.
Chemical Stability: Stable at normal ambient temperature and pressure and under recommended storage conditions.
Conditions to Avoid: Exposure to sources of ignition (heat, flames, sparks, electrostatic discharge), extremes of temperature and direct sunlight.
Incompatible Materials: Strong oxidizing agents.
Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides and metal oxide fumes.
Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

| Product/Ingredient Name | Test | Species | Dose | Exposure |
|-------------------------|-----------|---------|------------|----------|
| Tetraethylgermane | LD50 Oral | Rat | 700 mg/kg | - |
| | LD50 Oral | Mouse | 2870 mg/kg | - |
| | LD50 IP | Rat | 780 mg/kg | - |
| | LD50 IV | Rat | 460 mg/kg | - |

Irritation/Corrosion: No specific data available. Product is irritating to skin, eyes and respiratory tract.

Sensitization: No specific data available.

Germ Cell Mutagenicity: No effects known.

Carcinogenicity

IARC: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

Reproductive Toxicity: No specific data available.

Teratogenicity: No specific data available.

Specific Target Organ Toxicity: Respiratory tract irritation.
(Single Exposure)

Specific Target Organ Toxicity: No specific data available.
(Repeated Exposure)

Aspiration Hazard: No specific data available.

Information on the Likely Routes of Exposure: Common routes of exposure: inhalation, dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking or eating after handling product without washing hands or using hand protection)).

Additional Information: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

Numerical Measures of Toxicity

| | |
|--|-----------------------------|
| Toxicity to Fish: | No specific data available. |
| Toxicity to Daphnia and other Aquatic Invertebrates: | No specific data available. |
| Toxicity to Algae: | No specific data available. |

Persistence and Degradability

| | |
|----------------------------|---|
| Biodegradability: | No specific data available. |
| Bioaccumulative Potential: | No specific data available. |
| Mobility in Soil: | No specific data available. |
| Other Adverse Effects: | An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. |

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

| | |
|------------------------|---|
| Product | Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals. |
| Contaminated Packaging | Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Dispose of as unused product. DO NOT EXPOSE SUCH CONTAINERS TO AIR, MOISTURE, WATER AS FLAMMABLE/EXPLOSIVE GASES MAY BE GENERATED. DO NOT EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. |

14. TRANSPORT INFORMATION

| | DOT | IMDG | IATA |
|--------------------------|--|---------------|---------|
| UN Number | UN 1993 | UN 1993 | UN 1993 |
| UN Proper Shipping Name | FLAMMABLE LIQUID, N.O.S. (Tetraethylgermane) | | |
| Transport Hazard Classes | 3 | 3 | 3 |
| Packing Group | III | III | III |
| Environmental Hazards | - | - | - |
| Additional Information | - | EMS: F-E, S-E | - |

| | |
|--|--|
| IMDG Notes: | Limited quantities (LQ): 5L. Excepted quantities(EQ): Code E1. Maximum net quantity per inner packaging: 30 ml. Maximum net quantity per outer packaging: 1000 ml. |
| Special Precautions for User: | Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. |
| Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: | Not applicable. |

15. REGULATORY INFORMATION

| | |
|-------------------------------------|---|
| TSCA (Toxic Substance Control Act): | This product is listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). |
| SARA 302 Components | No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. |
| SARA 313 Components | This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Intatrade Chemicals GmbH shall not be held liable for any damage resulting from handling or from contact with the above product.